Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PETITION FOR REVIVAL OF AN INTERNATIONAL APPLICATION FOR
PATENT DESIGNATING THE U.S. ABANDONED UNINTENTIONALLY UNDER
37 CFR 1.137(b)

Docket Number (Optional) · 7368

First Nam	ned Inventor: POLICICCHIO, Nicola John		
Internatio	nal (PCT) Application No.: PCT/US99/26579	U.S. Application No.: 09/8314 (if known)	180
Filed: 09	November 1999 (09.11.99)		
Title: Cle	eaning Composition, Pad, Wipe, Implement, and S	system and Method of Use Thereon	f
Attention	PCT Legal Staff Box PCT Assistant Commissioner for Patents Washington, D.C. 20231		
35 U.S.C applicable	e-identified application became abandoned as to a 371(c) were not filed prior to the expiration of e). The date of abandonment is the day after the FR 1.494(h) or 1.495(i).	the time set in 37 CFR 1.494(b) of	or (c) or 1.495(b) or (c) (as
·			
	APPLICANT HEREBY PETITIONS F	FOR REVIVAL OF THIS APPLI	CATION
1	NOTE: A grantable petition requires the followin (1) Petition fee; (2) Proper reply; (3) Terminal disclaimer with disclaime international filing date before June 8 (4) Statement that the entire delay was under the statement of the statement o	r fee – required for all internations, 1995; and	onal applications having an
1. Petiti	on fee Small entity - fee \$ (37 CFR 1.17(m)) [] Small entity statement enclosed herewith [] Small entity statement previously filed. Other than small entity - fee \$ 1,210 (37 CFR)		
2. Prope	er reply		
Powe	The proper reply (the missing 35 U.S.C. 371(c) reform PTO-1390, Declaration Combined With the of Attorney (identify type of reply): [] has been filed previously on [X] is enclosed herewith.	quirements) in the form of Power of Attorney, Preliminary	Amendment and Associate
iLampena oo	000052 162480 09831460		
1240.	00 CVI	e 1 of 21	

Burden Hour Statement: This form is estimated to take 1.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information officer, Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, D.C.

PTO/SB/64/PCT (7-99)

Approved for use through 09/30/2000. OMB 0651-0031

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

3. Termin	al discl	aimer with disclaim	er fee			
[] Since this international application has an international filing date on or after June 8, 1995, no terminal disclaimer is required.						
[] 4	A termi small er	nal disclaimer (and tity) equivalent to t	disclaimer fee (3 he period of aban	37 CFR 1.20(d)) of \$ for a small entity or \$ for other than a adonment is enclosed herewith (see PTO/SB/63).		
		The entire delay in petition under 37 C				
		14 June 01		_ nel and		
Telephone l	Number	Date : (513) 627-7025		Signature T. David Reed, US Reg. No. 32,931		
			Address:	Patent Division - International The Procter & Gamble Company Ivorydale Technical Center 5299 Spring Grove Avenue Cincinnati, OH 45217		
THE COM	MISSIC DER 37	ONER IS HEREBY CFR 1.17(M) ASS	AUTHORIZED SOCIATED WIT	TO CHARGE ANY FEE(S) INCLUDING THE FEE(S) DUE H THIS PETITION TO DEPOSIT ACCOUNT NO. 16-2480.		
Enclosures:		Fee Payment Reply (Form PTO-1390, and Associate Pow Terminal Disclaim Small Entity Statu	ver of Attorney) ner Form	abined With Power of Attorney, Preliminary Amendment		
			U	Page 2 of 2]		

FORM PTO-1390 OFFICE (REV. 10-95). U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK ATTORNEY'S DOCKET NUMBER TRANSMITTAL LETTER TO THE UNITED STATES U.S. APPLICATION NO. (if known, see 37 CFR 1.5) DESIGNATED/ELECTED OFFICE (DO/EO/US) 09/831480 CONCERNING A FILING UNDER 35 U.S.C. 371 PRIORITY DATE CLAIMED INTERNATIONAL APPLICATION NO. INTERNATIONAL FILING DATE 09 November 1999 (09.11.99) 09 November 1998 (09.11.98) PCT/US99/26579 TITLE OF INVENTION Cleaning Composition, Pad, Wipe, Implement, And System And Method Of Use Thereof APPLICANT(S) FOR DO/EO/US POLICICCHIO, Nicola John et al Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information. 1. [X] This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. [] This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3. [] This express request to begin national examination procedures (35 U.S.C. 371(f) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(l). 4. [] A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 5. [X] A copy of the International Application was filed (35 U.S.C. 371(c)(2)) a. [] is transmitted herewith (required only if not transmitted by the International Bureau). b. [] has been transmitted by the International Bureau. c. [X] is not required, as the application was filed in the United States Receiving Office (RO/US). 6. [] A translation of the International Application into English (35 U.S.C. 371(c)(2)). 7. [X] Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) a. [] are transmitted herewith (required only if not transmitted by the International Bureau). b. [] have been transmitted by the International Bureau. c. [] have not been made; however, the time limit for making such amendments has NOT expired. d. [X] have not been made and will not be made. 8. [] A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). 9. [x] An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. [] A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). Items 11. To 16. Below concern document(s) or information included: 11. [] An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12. [] An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 13. [X] A FIRST preliminary amendment. [] A SECOND or SUBSEQUENT preliminary amendment. 14. [] A substitute specification. 15. [X] A change of power of attorney and/or address letter. 16. [] Other items or information: "Express Mail" mailing label number Date of Deposit hereby certify that this paper/fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CPR 1.10 on the date indicated above and is addressed to The Assistant Commissioner of Patents, Washington, D.C. 20231.

Administrator Mailing Application.

Signature

U.S. APPLICATION NO. 09/831480	(II ROOWE, SEE 37 CFR 1.3)	PCT/US99/26579	PPLICATION NO.	7368	
		,		CALCULATIONS	PTO USE ONLY
EN	TER APPROPRI	ATE BASIC FEE	AMOUNT =	\$840.00	
Surcharge of \$130.00				\$	
[] 20 [x] 30 (37 CFR 1.492(e)).	months from the ear	liest claimed priority	date		
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total Claims	86-20 =	66	x \$22.00	\$1188	
Independent Claims	22-3 =	19	x \$78.00	\$1520	
MULTIPLE DEPENDI			\$250.00	\$	
		F ABOVE CALCU		\$3548	ļ
Processing fee of \$13	0.00 for furnishing tl nonths from the earl			\$0	
[] 20 [] 30 I (37 CFR 1.492(f)).	nonths from the eart		<u>uatt</u>		
		TOTAL NATIO	NAL FEE =	\$3548	
Fee for recording the				\$0	
assignment must be a 3.28,3.31). \$40.00 pe	-	ppropriate cover she	et (37 CFR		1
3.20,3.31). 940.00 pc	property '	TOTAL FEES EN	NCLOSED =	\$3548	
				Amount to be	s
				Refunded	
				Charged	<u> s</u>
a. [] A check in	the amount of \$_	to cover the a	bove fees is en	closed.	
b. [x] Please cha fees.	rge my Deposit Ac	count No. <u>16-248</u>	0 in the amou	int of \$ <u>3548</u> to c	over the above
	e copy of this shee	t is enclosed.			
c [x] The Comp	nissioner is hereby	authorized to char	rge anv additie	onal fees which may	be required. or
credit any			- 5	dumlicate come of t	
enclosed.	overpayment to D	eposit Account No	. <u>16-2480</u> . A	dupicate copy of t	his sheet is
enclosed. NOTE: Where an	appropriate time l	imit under 37 CFF	R 1.494 or 1.49	5 has not been met, ication to pending s	a petition to rev
enclosed. NOTE: Where an	appropriate time l r (b)) must be filed	imit under 37 CFF I and granted to re	R 1.494 or 1.49	5 has not been met,	a petition to rev
enclosed. NOTE: Where an (37 CFR 1.137(a) o	appropriate time l r (b)) must be filed ESPONDENCE T	imit under 37 CFF I and granted to re	R 1.494 or 1.49	5 has not been met,	a petition to rev
enclosed. NOTE: Where an (37 CFR 1.137(a) of SEND ALL CORR J.J. Camp, Patent At	appropriate time l r (b)) must be filed ESPONDENCE T	imit under 37 CFF I and granted to re	R 1.494 or 1.49 estore the appl	5 has not been met, ication to pending s	a petition to rev
enclosed. NOTE: Where an (37 CFR 1.137(a) o	appropriate time l r (b)) must be filed ESPONDENCE T	imit under 37 CFF I and granted to re	R 1.494 or 1.49	5 has not been met, ication to pending s	a petition to rev
enclosed. NOTE: Where an (37 CFR 1.137(a) of SEND ALL CORR J.J. Camp, Patent At	appropriate time l r (b)) must be filed ESPONDENCE T	imit under 37 CFF I and granted to re	R 1.494 or 1.49 estore the apple	5 has not been met, ication to pending s	a petition to rev
enclosed. NOTE: Where an (37 CFR 1.137(a) of SEND ALL CORR J.J. Camp, Patent At	appropriate time l r (b)) must be filed ESPONDENCE T	imit under 37 CFF I and granted to re	R 1.494 or 1.49 estore the appl	5 has not been met, ication to pending s	a petition to rev

•_

.





As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

CLEANING COMPOSITION, PAD, WIPE, IMPLEMENT, AND SYSTEM AND METHOD OF USE THEREOF the specification of which

[] [X]	is attached hereto. was filed on November 9, 1999 or PCT International Application Number PCT/US99/26579	_
	and was amended on (if applicable)	

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations §1.56.

I hereby claim foreign priority benefits under Title 35 United States Code §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States of America, listed below and have also identified below any foreign application for patent or Inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed:

Prior Foreign Applic		Priority Claimed			
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No	
	under Title 35, United	I States Code §119(e) of any Un	ited States	provisional applie	cation(s)
listed below. 60/162,935	11/2/99	60/110,476		12/1/98	_
Application Serial No. 60/156,286	Filing Date 9/27/99	Application Serial No.		Filing Date	_
Application Serial No.	Filing Date	Application Serial No.		Filing Date	

I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s), or §365(c) of any PCT International application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

U.S. Parent Application Number	PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (If applicable)
09/188,604		11/09/98	
09/201,618		11/30/98	

As named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Atty Name	Atty Reg Number.		
Jason J. Camp	44,582		
Darryl C. Little	40,703		
Jacobus C. Rasser	37,043		
T. David Reed	32,931		
DIRECT ALL CORRES	SPONDENCE TO:		
Jason J. Camp		Phone No.: (513) 626-3371	
The Procter & Gamble (Company	Facsimile No.: (513) 626-1933	
Sharon Woods Technica	al Center, 11520 Reed Hartman Hi	ghway, Cincinnati, Ohio 45241-2422	

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of first joint or sole inventor, if any Nicola John Policicchio
Inventor's signature everely John John Louise 4-4-00
Date
Residence 4976 Laurelwood Court, Mason, Ohio 45040
Citizenship Canadian
Post Office Address The Procter & Gamble Company, Sharon Woods Technical Center
11520 Reed Hartman Highway, Cincinnati, Ohio 45241-2422
Full name of second joint inventor, if any Preston James Rhamy
Inventor's signature frames the 3/28/00
Date
Residence 42 Saville Row, #1307, Cincinnati, Ohio 45246
Citizenship U.S.
Post Office Address The Procter & Gamble Company, Sharon Woods Technical Center
11520 Reed Hartman Highway, Cincinnati, Ohio 45241-2422
Full name of third joint inventor, if any Michael William Dusing
Inventor's signature Michael William Diving March 7, 2000
Date
Residence 49 Lake Avenue, Louisville, Kentucky 40206
Citizenship U.S.
Post Office Address The Procter & Gamble Company, Sharon Woods Technical Center
11520 Reed Hartman Highway, Cincinnati, Ohio 45241-2422
Full name of forth joint inventor, if any Kenneth William Willman
Inventor's signature Jenneth William Willman 3/15/00
, But
Residence 5603 Williamsburg Way, Fairfield, Ohio 45014
Citizenship U.S.
Post Office Address The Procter & Gamble Company, Sharon Woods Technical Center
11520 Reed Hartman Highway, Cincinnati, Ohio 45241-2422
Full name of fifth joint inventor, if any Rhonda Jean Jackson
Inventor's signature Thinds for Jackson 3/27/00 Date
0
Residence 1370 Camberly Drive, Cincinnati, Ohio 45215
Citizenship U.S.
Post Office Address The Procter & Gamble Company, Sharon Woods Technical Center
11520 Reed Hartman Highway, Cincinnati, Ohio 45241-2422

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the matter of

U.S. National Phase Entry
Under 35 U.S.C. 371 from
The International Application of:
Applicants: POLICICCHIO, Nicola, et al.
Int'l App. No. PCT/US99/26579
Filed in the RO/US on 9 November 1999
Title: CLEANING COMPOSITION, PAD,
WIPE, IMPLEMENT, AND SYSTEM
AND METHOD OF USE THEREOF

Group Art Unit Examiner

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents Box PCT Washington, D.C. 20231

Dear Sir:

Please amend the above-identified application as follows:

IN THE CLAIMS:

Before calculating the filing fee, please cancel Claims 1-28 without prejudice and enter the following New Claims 29-114:

- 29. (New) A cleaning implement comprising:
 - (a) a handle; and
 - (b) a removable cleaning pad comprising:
 - (i) a liquid pervious scrubbing layer comprising an apertured formed film; and
 - (ii) an absorbent layer comprising superabsorbent material.
- 30. (New) The cleaning implement of Claim 29, wherein said handle comprises a fluid dispenser.
- 31. (New) The cleaning implement of Claim 29, wherein said removable cleaning pad further comprises an attachment layer.

- 32. (New) The cleaning implement of Claim 31, wherein said attachment layer comprises a material selected from the group consisting of a translucent film, loop material, adhesive tape, and combinations thereof.
- 33. (New) The cleaning implement of Claim 32, wherein said attachment layer comprises a clear polyethylene film.
- 34. (New) The cleaning implement of Claim 33, wherein said attachment layer further comprises loop material.
- 35. (New) The cleaning implement of Claim 29, wherein said removable cleaning pad further comprises at least two absorbent layers, wherein said absorbent layers have multiple widths in the z-dimension.
- 36. (New) The cleaning implement of Claim 35, wherein said removable cleaning pad further comprises at least three absorbent layers, wherein said absorbent layers have multiple widths in the z-dimension.
- 37. (New) A cleaning pad comprising:
 - (a) a liquid pervious scrubbing layer comprising an apertured formed film; and
- (b) an absorbent layer comprising superabsorbent material; wherein said cleaning pad has resiliency of at least about 95%.
- 38. (New) The cleaning pad of Claim 37, wherein said cleaning pad further comprises at least two absorbent layers, wherein said absorbent layers have multiple widths in the z-dimension.
- 39. (New) The cleaning pad of Claim 37, wherein said cleaning pad further comprises an attachment layer.
- 40. (New) The cleaning pad of Claim 39, wherein said attachment layer comprises a polyethylene film.
- 41. (New) The cleaning pad of Claim 40, wherein said polyethylene film is clear.
- 42. (New) The cleaning pad of Claim 41, wherein said attachment layer further comprises loop material.
- 43. (New) A method of cleaning a hard surface comprising wiping said surface with a cleaning pad comprising:

- (a) a liquid pervious scrubbing layer comprising an apertured formed film; and
- (b) an absorbent layer comprising superabsorbent material.
- 44. (New) The method of Claim 43, wherein said hard surface is an inanimate surface.
- 45. (New) An article of manufacture comprising:
 - (a) a cleaning pad comprising:
 - (i) a liquid pervious scrubbing layer comprising an apertured formed film; and
 - (ii) an absorbent layer comprising superabsorbent material; and
 - (b) a set of instructions comprising the instruction to clean a hard surface by wiping said hard surface with said cleaning pad.
- 46. (New) A cleaning implement comprising:
 - (a) a handle; and
 - (b) a disposable cleaning pad comprising an absorbent layer and functional cuffs.
- 47. (New) The cleaning implement of Claim 46, wherein said functional cuffs are looped.
- 48. (New) A cleaning pad comprising:
 - (a) an absorbent layer; and
 - (b) functional cuffs.
- 49. (New) The cleaning pad of Claim 48, wherein said functional cuffs are looped.
- 50. (New) A cleaning sheet comprising:
 - (a) a nonwoven substrate; and
 - (b) functional cuffs.
- 51. (New) The cleaning sheet of Claim 50, wherein said functional cuffs are looped.
- 52. (New) A cleaning implement comprising:
 - (a) a handle, and
 - (b) a disposable cleaning sheet comprising:
 - (i) nonwoven substrate; and
 - (ii) functional cuffs.
- 53. (New) The cleaning implement of Claim 52, wherein said functional cuffs are looped.

- 54. (New) A cleaning implement comprising:
 - (a) a handle; and
 - (b) a cleaning pad comprising an absorbent layer comprising a density gradient.
- 55. (New) The cleaning implement of Claim 54, wherein said cleaning pad further comprises a first absorbent layer and a second absorbent layer; wherein said first absorbent layer has a density of from about 0.01 g/cm³ to about 0.15 g/cm³, and said second absorbent layer has a density of from about 0.04 g/cm³ to about 0.2 g/cm³; wherein said density of said first absorbent layer is at least about 0.04 g/cm³ less than said density of said second absorbent layer.
- 56. (New) The cleaning implement of Claim 55, wherein said first absorbent layer has a density of from about 0.03 g/cm³ to about 0.1 g/cm³, and said second absorbent layer has a density of from about 0.1 g/cm³ to about 0.2 g/cm³; wherein said density of said first absorbent layer is at least about 0.07 g/cm³ less than said density of said second absorbent layer.
- 57. (New) The cleaning implement of Claim 56, wherein said first absorbent layer has a density of from about 0.04 g/cm³ to about 0.06 g/cm³, and said second absorbent layer has a density of from about 0.12 g/cm³ to about 0.17 g/cm³, wherein said density of said first absorbent layer is at least about 0.1 g/cm³ less than said density of said second absorbent layer.
- 58. (New) A cleaning pad comprising an absorbent layer comprising a density gradient; wherein said cleaning pad has a resiliency of at least about 95%.
- 59. (New) A cleaning pad comprising:
 - (a) at least one absorbent layer; and
 - (b) at least one additional element selected from the group consisting of:
 - (i) a liquid pervious scrubbing layer comprising an apertured formed film;
 - (ii) at least one functional cuff;
 - (iii) a density gradient throughout at least one absorbent layer; wherein the density gradient preferably comprises a first absorbent layer having a density of from about 0.01 g/cm³ to about 0.15 g/cm³, and a second absorbent layer having a density of from about 0.04 g/cm³ to about 0.2 g/cm³; wherein the density of the first absorbent layer is about 0.04 g/cm³; and combinations thereof.
- 60. (New) A cleaning implement comprising:
 - (a) a handle; and
 - (b) a removable cleaning pad comprising:

- (i) at least one absorbent layer;
- (ii) optionally, a liquid pervious scrubbing layer;
- (iii) optionally, an attachment layer;
- (iv) optionally, multiple planar surfaces;
- (v) optionally, at least one functional cuff;
- (vi) optionally, a density gradient throughout at least one absorbent layer; and
- (vii) optionally, at least one adhesive scrubbing strip removably attached to said cleaning pad; and
- (viii) optionally, perfume carrier complex.
- 61. (New) The cleaning implement of Claim 60, wherein said cleaning pad comprises an adhesive scrubbing strip removably attached to said cleaning pad, wherein said adhesive scrubbing strip comprises material selected from the group consisting of nylon, polyester, polypropylene, abrasive material, and mixtures thereof.
- 62. (New) The cleaning implement of Claim 61, wherein said adhesive scrubbing strip comprises nylon.
- 63. (New) The cleaning implement of Claim 62, wherein said adhesive scrubbing strip further comprises abrasive material.
- 64. (New) The cleaning implement of Claim 63, wherein said abrasive material is selected from the group consisting of silicon carbide, aluminum oxide, calcium carbonate, and mixtures thereof.
- 65. (New) The cleaning implement of Claim 61, wherein a ratio of an area of a surface of said cleaning pad and an area of a surface of said adhesive scrubbing strip is from about 840:1 to about 3:1.
- 66. (New) The cleaning implement of Claim 65, wherein said ratio is from about 56:1 to about 18:1.
- 67. (New) The cleaning implement of Claim 60, wherein said cleaning pad comprises a perfume carrier complex selected from the group consisting of cyclodextrin inclusion complex, matrix perfume microcapsules, and mixtures thereof.
- 68. (New) The cleaning implement of Claim 67, wherein said perfume carrier complex is located in said absorbent layer of said cleaning pad.

- 69. (New) The cleaning implement of Claim 68, wherein said perfume carrier complex is a cyclodextrin inclusion complex.
- 70. (New) The cleaning implement of Claim 60, wherein said cleaning pad comprises at least two layers selected from the group consisting of absorbent layer, liquid pervious scrubbing layer, attachment layer, and combinations thereof, wherein said layers are bonded together by an adhesive capable of providing a bond with a bond retention of at least about 30% of a dry bond strength value between said layers following immersion in water at body temperature for one hour.
- 71. (New) The cleaning implement of Claim 70, wherein said adhesive is capable of providing a bond with a bond retention of at least about 50% of a dry bond strength value between said layers following immersion in water at body temperature for one hour.
- 72. (New) The cleaning implement of Claim 71, wherein said adhesive capable of providing a bond with a bond retention of at least about 70% of a dry bond strength value between said layers following immersion in water at body temperature for one hour.
- 73. (New) A hard surface cleaning composition comprising:
 - (a) optionally, from about 0.001% to about 0.5% by weight of the composition of surfactant;
 - (b) optionally, hydrophilic polymer;
 - (c) optionally, organic solvent;
 - (d) optionally, from about 0.01% to about 1% by weight of the composition of mono- or polycarboxylic acid;
 - (e) optionally, from about 0.01% to about 1% by weight of the composition of odor control agent, preferably cyclodextrin;
 - (f) optionally, a source of peroxide;
 - (g) optionally, from about 0.001% to about 0.1% by weight of the composition of thickening polymer;
 - (h) aqueous solvent system;
 - (i) optionally, suds suppressor;
 - (j) optionally, from about 0.005% to about 0.2% by weight of the composition of a perfume comprising:
 - (i) optionally, from about 0.05% to about 90% by weight of the perfume of volatile, hydrophilic perfume material;

- (ii) optionally, at least about 0.2% by weight of the perfume of volatile, hydrophobic perfume material;
- (iii) optionally, less than about 10% by weight of the perfume of residual, hydrophilic perfume material;
- (iv) less than about 10% by weight of the perfume of residual, hydrophobic perfume material;
- (k) optionally, a detergent adjuvant.
- 74. (New) The composition of Claim 73, wherein said composition comprises from about 0.005% to about 0.2% by weight of said composition of perfume, wherein said perfume comprising:
 - (a) optionally, from about 0.05% to about 90% by weight of the perfume of volatile, hydrophilic perfume material;
 - (b) optionally, at least about 0.2% by weight of the perfume of volatile, hydrophobic perfume material;
 - (c) optionally, less than about 10% by weight of the perfume of residual, hydrophilic perfume material;
 - (d) less than about 10% by weight of the perfume of residual, hydrophobic perfume material.
- 75. (New) The composition of Claim 74, wherein said composition comprises from about 0.001% to about 0.5% by weight of the composition of surfactant, wherein a ratio of said surfactant to said perfume is from about 20:1 to about 1:50.
- 76. (New) The composition of Claim 75, wherein said ratio of said surfactant to said perfume is from about 1:1 to about 1:4.
- 77. (New) The composition of Claim 73, wherein said composition comprises from about 0.25% to about 7% by weight of said composition of organic solvent, wherein said organic solvent has a boiling point of from about 120°C to about 180°C.
- 78. (New) The composition of Claim 77, wherein said organic solvent is a glycol ether.
- 79. (New) The composition of Claim 73, wherein said composition comprises no greater than about 0.5% of slowly volatile material having a boiling point of greater than about 160°C.

- 80. (New) The composition of Claim 79, wherein said slowly volatile material is selected from the group consisting of non-volatile surfactant, amine buffer, organic solvent, and mixtures thereof.
- 81. (New) The composition of Claim 80, wherein said composition comprises no greater than about 0.425% of slowly volatile material having a boiling point of greater than about 160°C.
- 82. (New) A method of cleaning a hard surface comprising the steps of:
 - (a) contacting the surface with a cleaning implement comprising a handle and a removable, dry, cleaning substrate to remove dust and fine particulate matter from the surface;
 - (b) contacting the surface with a hard surface cleaning composition to wet the surface;
 - (c) contacting the wet surface with a cleaning implement comprising a handle and a removable cleaning pad to substantially remove the hard surface cleaning composition from the surface; and
 - (d) allowing the surface to dry without rinsing the surface with a separate rinse solution.
- 83. (New) The method of Claim 82, wherein said removable, dry, cleaning substrate is a nonwoven hydroentangled cleaning sheet.
- 84. (New) A method of cleaning hard surfaces comprising the steps of:
 - (a) contacting the surface with a cleaning implement comprising a handle and a removable, dry, cleaning substrate to remove dust and fine particulate matter from the surface;
 - (b) contacting the surface with a cleaning implement comprising a handle and a removable, pre-moistened cleaning wipe to remove additional soil from the surface; and
 - (c) allowing the surface to dry without rinsing the surface with a separate rinse solution.
- 85. (New) The method of Claim 84, wherein said removable, dry, cleaning substrate is a nonwoven hydroentangled cleaning sheet.
- 86. (New) A cleaning implement, comprising:

a handle;

a support head pivotally attached to said handle;

a cleaning substrate removeably attached to the support head, wherein said cleaning substrate has an absorbent capacity of at least about 5 g/g; and

- a liquid delivery system for providing a cleaning liquid to a surface to be cleaned, wherein said liquid delivery system is configured to spray at least about 2 mils/sec of a cleaning liquid.
- 87. (New) The cleaning implement of claim 86, wherein said liquid delivery system is configured to spray the cleaning liquid onto a surface with a spray efficiency of at least about 0.000006 mils/(sec x cm2 x g/g).
- 88. (New) The cleaning implement of claim 86, wherein said cleaning substrate has a squeeze-out value of no more than about 40%.
- 89. (New) The cleaning implement of claim 88, wherein said liquid delivery system is configured to spray the cleaning fluid on to a surface with a cleaning efficiency of at least about 0.0006 mils/(sec x cm2 x unit squeeze-out).
- 90. (New) The cleaning implement of claim 86, wherein the liquid delivery system is configured to spray the liquid onto a surface with a spray efficiency of at least about 0.0002 mils/(sec x cm²).
- 91. (New) The cleaning implement of claim 86, wherein the liquid delivery system comprises a spray nozzle, a pump in fluid communication with said spray nozzle, an electric motor driving said pump, a voltage source powering said motor, and a liquid filled canister in fluid communication with said pump.
- 92. (New) The cleaning implement of claim 91, wherein the spray nozzle is configured to provide a spray angle of at least about 30 degrees.
- 93. (New) The cleaning implement of claim 92, wherein the said spray nozzle is configured to provide an average particle size of at least about 100 μm.
- 94. (New) The cleaning implement of claim 91, wherein said spray nozzle is configured to provide an exit velocity of at least about 0.009 cm/sec.

- 95. (New) The cleaning implement of claim 91, wherein said voltage source is a plurality of batteries and wherein said batteries are configured to provide a voltage of at least about 1.5 volts.
- 96. (New) The cleaning implement of claim 95, wherein said voltage is supplied for at least about 5 minutes of continuous pump operation.
- 97. (New) The cleaning implement of claim 91, wherein said pump is configured to spray the cleaning liquid at a spray nozzle inlet pressure of 6 Kpa.
- 98. (New) The cleaning implement of claim 91, wherein said pump has an efficiency of at least about 3%.
- 99. (New) The cleaning implement of claim 91, wherein said motor has an efficiency of at least about 50%.
- 100. (New) The cleaning implement of claim 86, wherein said liquid delivery system is configured to provide a spray pattern having a spray depth of at least about 20 cm.
- 101. (New) The cleaning implement of claim 100, wherein said liquid delivery system is configured to provide a spray pattern having a spray width of at least about 20cm.
- 102. (New) The cleaning implement of claim 86, wherein said handle has a deflection of less than about 15 mm.
- 103. (New) A cleaning implement, comprising:
 - a handle;
 - a support head pivotally attached to said handle;
 - a cleaning substrate removeably attached to the support head; and
 - a hand-held liquid sprayer removeably attached to the cleaning implement for dispensing a liquid onto a surface to be cleaned.

- 104. (New) The cleaning implement of claim 103, wherein said hand-held liquid sprayer is stored within a cage attached to said handle.
- 105. (New) The cleaning implement of claim 103, wherein said hand-held liquid sprayer further comprises a cleaning liquid.
- 106. (New) An article of manufacture, comprising:

a package;

a hand-held liquid sprayer stored within said package;

a set of instructions in association with said package comprising an instruction to use said hand-held liquid sprayer with a mop having a mop head and a cleaning substrate removeably attached to the support head.

107. (New) An article of manufacture, comprising:

a package;

a mop having a handle, a mop head pivotally attached to said handle, said mop head configured to removeably receive a cleaning substrate; and

a set of instructions in association with said package comprising an instruction to use a handheld liquid sprayer with said mop for cleaning.

- 108. (New) A kit, comprising:
 - a cleaning substrate;
 - a container for use with a hand-held liquid sprayer and storing a cleaning liquid; and
 - a structure for releaseably receiving said container, said structure configured to attach to a cleaning implement.
- 109. (New) The kit of claim 108, wherein said structure is a cage.

110. (New) An article of manufacture, comprising:

a mop having a handle, a mop head pivotally attached to said handle, said mop head configured to removeably receive a cleaning substrate, and a spray nozzle attached to said mop;

a package storing said mop; and

a set of instructions in association with said package comprising an instruction to move said mop in a predetermined pattern.

- 111. (New) The article of manufacture of claim 110, wherein said set of instructions further comprises an instruction to move said mop in said predetermined pattern above the surface to be cleaned.
- 112. (New) The article of manufacture of claim 110, wherein said set of instructions further comprises an instruction to move said mop in said predetermined pattern on the surface to be cleaned.
- 113. (New) The cleaning implement of claim 86, further comprising a scrubbing strip.
- 114. (New) The cleaning implement of claim 113, wherein said scrubbing strip is attached to said mop head.

REMARKS

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "Version with Markings to Show Changes Made."

The amendment is being made to bring the claims into conformance with, *inter alia*, 37 C.F.R. § 1.75.

Respectfully submitted for Applicants,

By:

T. David Reed Agent for Applicants Registration No. 32,931

May 8, 2001 5299 Spring Grove Avenue Cincinnati, Ohio 45217-1087

Phone: (513) 627-7025 Fax: (513) 627-6333

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE CLAIMS:

Claims 1-28 have been canceled without prejudice.

New Claims 29-114 have been added.

Case 7368

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the U.S. National Phase Entry
Under 35 USC 371 from
International Application of
POLICICCHIO, Nicola et al.
Int'l. Application No. PCT/US99/26579
Filed in the RO/US on 09 November 1999
Entitled: Cleaning Composition, Pad, Wipe,
Implement, And System and Method of Use Thereof

ASSOCIATE POWER OF ATTORNEY

Assistant Commissioner for Patents Box PCT Washington, D.C. 20231

Dear Sir:

You are requested to recognize J. V. Bamber (Registration No. 31,148), J. J. Camp (Registration No. 44,582), B. M. Bolam (Registration No. 37,513) and F. C. Turner (Registration No. 39,863) of The Procter & Gamble Company, Cincinnati, Ohio, as Associate Attorneys to prosecute this application, to make alterations and amendments therein, and to transact all business in the Patent Office connected with the application or with the patent granted thereupon.

Please address all future communications to:

J. J. Camp, Patent Attorney Customer Number 27743

Respectfully submitted for Applicants,

Bv

T. David Reed Agent for Applicant Registration No. 32,931

Cincinnati, Ohio 08 May 2001 (513) 627-7025/FAX 627-6333